


Physical characteristics of new non-residential buildings 2017

Nick Brunsdon and Caleb Magan





1222 Moonshine Rd
RD1, Porirua 5381
Private Bag 50 908
Porirua 5240
New Zealand
branz.nz



The work reported here was funded by BRANZ from the Building Research Levy.

© BRANZ 2018
ISSN: 1179-6197



Preface

This is the fourth annual report providing the results of the BRANZ Non-Residential Survey. BRANZ surveys builders and designers of non-residential buildings on the physical characteristics of the building. The purpose is to obtain data on non-residential buildings that is not available from official sources. This data includes what type of materials are used. The data is useful for studies in the fields of sustainability, energy efficiency, durability and engineering.

Acknowledgements

This work was funded by the Building Research Levy. We would like to thank all of the builders and designers who filled in the survey form and returned it to BRANZ.

Physical characteristics of new non-residential buildings 2017

BRANZ Study Report SR397

Authors

Nick Brunsdon and Caleb Magan

Reference

Brunsdon, N. & Magan, C. (2018). *Physical characteristics of new non-residential buildings 2017*. BRANZ Study Report SR397 Judgeford, New Zealand: BRANZ Ltd.

Abstract

Official data on the characteristics of non-residential buildings is limited. Building consents data held by Statistics New Zealand gives numbers by building type, value and floor area, aggregated into territorial authorities. However, there is no data on materials used.

BRANZ began surveying builders and designers in 1998 to obtain data on materials used. We have since compiled a database of approximately 400 non-residential buildings per year containing information on the materials used by building component.

This report contains the results of these surveys on the materials used in new non-residential buildings. The aim is to provide information useful to building material manufacturers, retailers/wholesalers, builders, designers, researchers and government officials.

Keywords

Materials, building envelope, claddings, floors, framing, insulation.

Contents

1. INTRODUCTION	4
2. SUMMARY	6
3. MAIN RESULTS	7
3.1 Roof claddings	7
3.2 Wall claddings.....	7
3.3 Main structure.....	8
3.4 Wall infill framing	9
3.5 Partition wall framing.....	9
3.6 Insulation	10
3.6.1 Wall insulation.....	10
3.6.2 Ceiling insulation	10
3.6.3 Floor insulation.....	11
APPENDIX A: TABLES OF DATA AND SURVEY FORMS	12

Figures

Figure 1. Value of new non-residential consents.	5
Figure 2. Roof claddings market share.	7
Figure 3. Wall claddings market share.....	8
Figure 4. Main structure market share.....	8
Figure 5. Wall infill framing market share.	9
Figure 6. Partition wall framing market share.....	9
Figure 7. Wall insulation market share.	10
Figure 8. Ceiling insulation market share.	10
Figure 9. Floor insulation.	11

Tables

Table 1. Roof claddings market share.	12
Table 2. Wall claddings market share.....	12
Table 3. Main structure market share.....	12
Table 4. Wall infill framing market share.	12
Table 5. Partition wall framing market share.....	12
Table 6. Wall insulation market share.	13
Table 7. Ceiling insulation market share.	13
Table 8. Floor insulation market share.	13

1. Introduction

BRANZ surveys about 2,000 non-residential buildings per year in the BRANZ Non-Residential Survey. It collects a variety of data on materials used in new and altered residential buildings.

The survey is a postal survey to the builder or designer identified on the building consent application form, and the questions relate to each individual consent. Generally, 400 returns are received each year. An incentive is offered (a Lotto ticket, book voucher or reduced price on BRANZ publications) for the return of each survey form.

The consent information is obtained from the What's On¹ building consent data. BRANZ uses this to determine a sample of non-residential buildings for each period from 31 territorial authorities. The territorial authorities surveyed are:

Auckland	Christchurch	Dunedin	Franklin
Far North	Gisborne	Hutt City	Hamilton
Invercargill	Kapiti	Manukau	Marlborough
Napier	New Plymouth	North Shore	Porirua
Palmerston North	Queenstown	Rodney	Southland
Tauranga	Thames-Coromandel	Tasman	Waikato
Waipa	Wellington	Western Bay of Plenty	Whangarei
Waitakere			

The survey form is constantly evolving to include new questions as required. However, it is important for BRANZ to keep the survey form as simple, concise and clear as possible. Therefore, BRANZ keeps the survey form to a single page.

BRANZ weights the responses by the share of building activity for each building type in the calculation of the market share. This prevents some building types (such as farm buildings) from having a disproportionate share of the total market share should BRANZ receive a larger number of survey returns of one building type.

Using the data collected, representative estimates of the incidence and proportions of many different materials can be made. The components analysed are:

- roof claddings
- wall claddings
- main structure
- partition wall framing
- wall infill framing
- wall insulation
- ceiling insulation
- floor insulation.

¹ *Whats-On report (Monthly)*. TF Stevens & Co Ltd, Auckland, New Zealand.

A limitation of the survey is that it does not ask why certain materials are selected. This means that the report contains no commentary on why material trends might be changing.

The value of new non-residential consents is presented in Figure 1 broken down into three different building types – institutional, commercial and industrial.

Since 2012, the value of consents for new non-residential buildings has increased to reach a record high in 2017.




Figure 1. Value of new non-residential consents.

2. Summary

In general, many of the market shares of materials have been relatively steady over the years surveyed.

Steel experienced a notable increase in market share in 2017 for wall claddings, main structure and infill framing. This gain in share has primarily come at the expense of concrete tilt panels and blocks.

3. Main results

Key results are shown in the following charts. The data for these charts is in the tables in Appendix A.

Due to the variations in the mix of buildings year to year, market shares can be highly variable. Therefore, changes in share may be due to a change of building types rather than a change in preference for any particular building material.

3.1 Roof claddings

Sheet metal is the dominant roof cladding for new non-residential buildings, with a long-term share sitting around 80% (Figure 2).

Despite a 13% drop this year, the 'Other' category (largely plastic) appears to be trending upwards, partly due to increased use of plastic film on farm buildings, particularly shelters for dairy cattle.




Figure 2. Roof claddings market share.

3.2 Wall claddings

Steel, aluminium and other metals have been the dominant wall cladding material, surging to close to 60% share, largely due to their dominance on industrial and farm buildings (Figure 3).

Concrete (mainly precast panels) tends to be variable and this year continued a steep drop from last year. The increase in the 'Other' category has primarily been driven by an increase in use of plastic films on farm buildings.




Figure 3. Wall claddings market share.

3.3 Main structure

Steel structural frames have been trending largely upwards since 2005 despite a downward blip in 2015 (Figure 4). The international price of steel has picked up off recent lows but is projected to sit around the historical average in the medium term.² It should be noted that reductions in global commodity prices may not transfer to cheaper pricing in the local market.

By contrast, concrete has largely been trending downwards over the period shown below.




Figure 4. Main structure market share.

² www.tradingeconomics.com/commodity/steel/forecast

3.4 Wall infill framing

Wall infill framing is the framing between the main structural frames. Timber framing has been the dominant material for this application, with steel a distant second (Figure 5). Concrete typically maintains around 10% market share each year, although it has experienced a dip for the past 2 years. 'Other' primarily consists of insulated panels.




Figure 5. Wall infill framing market share.

3.5 Partition wall framing

Timber is dominant in partition wall framing with over 50% market share (Figure 6). Steel has taken share from timber in the past year with just over 40% share.




Figure 6. Partition wall framing market share.

3.6 Insulation

Wall insulation, ceiling insulation and floor insulation are dealt with separately in this section. Farm buildings have not been included as it is uncommon for farm buildings to use insulation and they have a large share of the non-residential building market.

3.6.1 Wall insulation

Fibreglass has been the dominant wall insulation material but its share has been converging with 'Polyester and other' due to increased use of polyester (Figure 7).




Figure 7. Wall insulation market share.

3.6.2 Ceiling insulation

Fibreglass has long been the dominant ceiling insulation material but this dominance is gradually being eroded (Figure 8). Relatively high use of polyester is reported in institutional and commercial buildings. Polystyrene, most likely as part of insulated panels, commands a strong market share of industrial buildings.




Figure 8. Ceiling insulation market share.

3.6.3 Floor insulation

The majority of non-residential buildings do not have floor insulation. For those buildings with floor insulation, sheet polystyrene is the most common floor insulation material (Figure 9). Note that the question on insulation of concrete slabs was changed in 2015. This chart assumes that all buildings that selected underslab full/partial used sheet polystyrene.




Figure 9. Floor insulation.

Appendix A: Tables of data and survey forms

A.1 Tables of data for the charts

Table 1. Roof claddings market share.

Roof claddings market share in new non-residential buildings										
Yearly data 2008-2017										
	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Sheet metal	81%	83%	81%	70%	83%	86%	0%	0%	61%	73%
Tiles (metal and concrete)	7%	1%	3%	6%	0%	2%	0%	0%	0%	1%
Other (plastic, insulated panels, memb	12%	16%	17%	24%	17%	11%	0%	0%	39%	26%
TOTAL	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Note: Percentages weighted to allow for different building types

Table 2. Wall claddings market share.

Wall claddings market share in new non-residential buildings										
Yearly data 2008-2017										
	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Steel, Aluminium and other Metals	42%	49%	40%	49%	46%	59%	0%	0%	51%	60%
Concrete (tilt-slab)	41%	25%	35%	24%	28%	28%	0%	0%	34%	19%
Timber (weatherboard and sheet)	1%	6%	3%	5%	5%	2%	0%	0%	4%	3%
Other	17%	20%	22%	22%	20%	11%	0%	0%	10%	19%
TOTAL	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Note: Percentages weighted to allow for different building types

Table 3. Main structure market share.

Main structure market share in new non-residential buildings										
Yearly data 2008-2017										
	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Concrete Frame	48%	32%	20%	16%	25%	18%	11%	25%	12%	5%
Steel Frame	39%	44%	54%	61%	59%	68%	73%	58%	67%	71%
Other	1%	2%	8%	9%	2%	8%	4%	2%	4%	8%
TOTAL	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Note: Percentages weighted to allow for different building types

Table 4. Wall infill framing market share.

Wall infill framing market share in new non-residential buildings										
Yearly data 2008-2017										
	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Timber	52%	51%	56%	43%	54%	61%	51%	49%	63%	61%
Concrete (tilt-slab + block)	10%	16%	18%	12%	12%	9%	11%	18%	9%	3%
Steel	24%	29%	20%	38%	31%	25%	27%	22%	25%	25%
Other	14%	5%	6%	7%	3%	5%	11%	11%	4%	11%
TOTAL	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Note: Percentages weighted to allow for different building types. Does not include farm buildings

Table 5. Partition wall framing market share.

Partition wall framing market share in new non-residential buildings										
Yearly data 2008-2017										
	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Steel	25%	29%	31%	33%	41%	40%	30%	24%	15%	41%
Timber	50%	58%	58%	48%	48%	47%	59%	58%	77%	57%
Other	25%	13%	11%	19%	11%	13%	10%	18%	8%	1%
TOTAL	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Note: Percentages weighted to allow for different building types

Table 6. Wall insulation market share.

Wall insulation market share in new non-residential buildings										
Yearly data 2008-2017										
	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Fibreglass	91%	93%	76%	81%	84%	82%	64%	69%	70%	53%
Polyester and other	9%	7%	24%	19%	16%	18%	36%	31%	30%	47%
TOTAL	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Note: Percentages weighted to allow for different building types

Table 7. Ceiling insulation market share.

Ceiling insulation market share in new non-residential buildings										
Yearly data 2008-2017										
	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Fibreglass	87%	82%	76%	70%	76%	87%	68%	54%	71%	57%
Polyester and other	13%	18%	24%	30%	24%	13%	32%	46%	29%	43%
TOTAL	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Note: Percentages weighted to allow for different building types

Table 8. Floor insulation market share.

Floor insulation market share in new non-residential buildings									
Yearly data 2010-2017									
	2010	2011	2012	2013	2014	2015	2016	2017	
Waffle Pod	18%	7%	0%	0%	0%	0%	0%	0%	0%
Sheet Polystyrene	74%	70%	79%	73%	91%	85%	99%	100%	
Foil	4%	2%	15%	21%	1%	0%	1%	0%	
Fibreglass or Polyester	3%	17%	0%	4%	8%	0%	0%	0%	
Other	1%	4%	6%	2%	0%	15%	0%	0%	
TOTAL	100%	100%	100%	100%	100%	100%	100%	100%	
	92%								
Percentage with floor insulation	14%	24%	8%	18%	10%	18%	24%	21%	

Note: Percentages weighted to allow for different building types

A.2 Survey form March 2007

NON-RESIDENTIAL BUILDINGS			
Please give this form to the builder or designer to fill out for the building consent listed over the page. Contract value of work (incl sub-trades) \$ incl GST.			
Type of Building (state type) e.g. Office, school, farm building etc			
tick New <input type="checkbox"/> Addition <input type="checkbox"/> Alteration <input type="checkbox"/>	Floor area sqm sqm (describe alterations)		Number of storeys Average storey heightm
Main Structure tick one or more			
Concrete frame <input type="checkbox"/> Timber frame <input type="checkbox"/>		Conc block <input type="checkbox"/> Laminated wood <input type="checkbox"/>	
Steel frame <input type="checkbox"/> Tilt slab <input type="checkbox"/>		Other.....(state)	
Floor base material			
Concretesqm Particle Boardsqm		Plywoodsqm Other (state) sqm	
Partition Wall Framing tick one or more			
Timber <input type="checkbox"/> Steel <input type="checkbox"/>		Other(state)	
Amount of Timber Framing (only applicable if framing work is done)			
Cub metres Walls <input type="checkbox"/> Walls <input type="checkbox"/> Floors <input type="checkbox"/> Roof <input type="checkbox"/> Roof <input type="checkbox"/> cum	or or or or or	Wall/floor area <input type="checkbox"/> with <input type="checkbox"/> with <input type="checkbox"/> with <input type="checkbox"/> with sqm	Sizes/spacing <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Example Walls and Roof 550sqm with 150x50mm @600 ctrs. 2000sqm with 100x50mm @450 ctrs. 300 sqm with 100x50mm truss @900 ctrs.			
Secondary Wall Framing tick one or more			
Radiata <input type="checkbox"/> Steel <input type="checkbox"/>		Douglas fir <input type="checkbox"/> Concrete block <input type="checkbox"/> Other <input type="checkbox"/> (state)	
Timber treatment (for framing)			
Untreated kiln dry <input type="checkbox"/>		Please tick one or more Untreated Wet <input type="checkbox"/> H1.2 <input type="checkbox"/> T1.2 (orange) <input type="checkbox"/> H3.1 <input type="checkbox"/>	
State where used (eg outer walls, subfloor, etc)			
Building wraps (tick one or more)			
Roof Flamestop® <input type="checkbox"/> Thermakraft <input type="checkbox"/> Bitumac® <input type="checkbox"/> Greencap <input type="checkbox"/> Pauloid <input type="checkbox"/> Black Paper <input type="checkbox"/> Other (state) <input type="checkbox"/>		(tick one or more)	
Wall Flamestop® <input type="checkbox"/> Tyvek® <input type="checkbox"/> Thermakraft coverup <input type="checkbox"/> FrameGard II <input type="checkbox"/> Greenwrap <input type="checkbox"/> Fastwrap <input type="checkbox"/> Black Paper <input type="checkbox"/> Other (state) <input type="checkbox"/>			
Wall cladding (only applicable if there is new wall cladding)			
State type Type % area..... e.g. tilt slab, 60% also plywood, solid plaster(min 18mm), Type % area..... concrete block, 15% plaster on polystyrene, sheet Type % area..... glazing, 10% steel, PVC weatherboard, etc. Type % area..... fibre cement, 15% Total 100%			
If yes to Fibre Cement cladding what is the Manufacturer? (tick one or more) Hardies <input type="checkbox"/> BGC <input type="checkbox"/> CSR <input type="checkbox"/> PRIMA <input type="checkbox"/> Other <input type="checkbox"/>			
Fibre Cement Product was used as (Circle one or more) Applied texture finish sheet, Flat sheet, FC plank, FC weatherboard/Linea			
If solid plaster, what backing? (circle one if solid plaster) fibre cement, plywood, paper, Triple S, block/brick, metal lathe			
Wet area linings (bathroom, kitchen, laundry etc)			
Please tick one or more and the approximate square meters used.			
Formica Aquapanel <input type="checkbox"/> m2 Seratone <input type="checkbox"/> m2		Villaboard <input type="checkbox"/> m2 Hardiglaze <input type="checkbox"/> m2 GIB <input type="checkbox"/> m2 Aqualine <input type="checkbox"/> m2 Other (state) <input type="checkbox"/>	
Roof cladding (only applicable if there is new roof cladding)			
Type		Roof areasq metres.	
eg pre-coated steel shallow profile, trough steel profile, aluminum sheet, metal tiles, butyl rubber sheet, bitumen asphalt sheet, etc			
Thank You. Please fold this form, and freepost it in the return envelope			Mar-07

A.3 Survey form November 2011

NON-RESIDENTIAL																																																								
<p>Please give this form to the builder or designer to fill out for the building consent listed over the page. Contract value of work (incl sub-trades) \$ incl GST</p>																																																								
<p>Type of Building (state type) e.g. Office, school, farm building etc</p>																																																								
<p>tick floor area</p> <p>New <input type="checkbox"/> sqm</p> <p>Addition <input type="checkbox"/> sqm</p> <p>Alteration <input type="checkbox"/> (describe alteration)</p>	<p>Number of storeys:</p> <p>Average storey height: m</p>																																																							
<p>Are you claiming "green" building features? Yes / No If Yes, what type?</p>																																																								
<p>Main Structure</p> <p>Concrete Frame <input type="checkbox"/> Timber Frame <input type="checkbox"/> Concrete block <input type="checkbox"/> LVL <input type="checkbox"/> Glulam <input type="checkbox"/></p> <p>Steel Frame <input type="checkbox"/> Tilt Slab <input type="checkbox"/> Other (state)</p>																																																								
<p>Floor Base Material</p> <p>Concrete sqm Particle Board sqm Plywood sqm Other (state) sqm</p> <p>If concrete, have any steel deck trays been used? Yes / No (circle one)</p>																																																								
<p>Partition Wall Framing (tick one or more)</p> <p>Timber <input type="checkbox"/> Steel <input type="checkbox"/> Concrete <input type="checkbox"/> Other (state)</p>																																																								
<p>Wall Infill Framing (between main frame) (tick one or more)</p> <p>Radiata <input type="checkbox"/> Steel <input type="checkbox"/> Douglas Fir <input type="checkbox"/> Concrete block <input type="checkbox"/> Other (state)</p>																																																								
<p>Prefabrication</p> <p>Are any prefabricated components used? Yes / No If yes, describe applicable component(s) below:</p> <p>Prefab Frame Prefab Floors</p> <p>Prefab Walls Prefab Other</p>																																																								
<p>Insulation</p> <p>(tick one or more)</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"></td> <td style="width: 10%;">None</td> <td style="width: 10%;">Pink Batts</td> <td style="width: 10%;">Bradford Gold</td> <td style="width: 10%;">Premier Fibreglass</td> <td style="width: 10%;">Brown FG Rocwool</td> <td style="width: 10%;">Greenstuf (polyester)</td> <td style="width: 10%;">Other Polyester</td> <td style="width: 10%;">Wool</td> <td style="width: 10%;">Polystyrene</td> <td style="width: 10%;">Other (state)</td> </tr> <tr> <td>Wall insulation</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Ceiling insulation</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td></td> <td>None</td> <td>Warmfeet</td> <td colspan="2">Under Slab</td> <td>Floor</td> <td>Foil</td> <td>Floor</td> <td>Cupolex</td> <td colspan="2">Other (state)</td> </tr> <tr> <td>Floor insulation</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </table> <p>Insulation Installer (name) Builder <input type="checkbox"/> Other (please specify) <input type="checkbox"/></p>			None	Pink Batts	Bradford Gold	Premier Fibreglass	Brown FG Rocwool	Greenstuf (polyester)	Other Polyester	Wool	Polystyrene	Other (state)	Wall insulation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Ceiling insulation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		None	Warmfeet	Under Slab		Floor	Foil	Floor	Cupolex	Other (state)		Floor insulation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	None	Pink Batts	Bradford Gold	Premier Fibreglass	Brown FG Rocwool	Greenstuf (polyester)	Other Polyester	Wool	Polystyrene	Other (state)																																														
Wall insulation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																														
Ceiling insulation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																														
	None	Warmfeet	Under Slab		Floor	Foil	Floor	Cupolex	Other (state)																																															
Floor insulation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																														
<p>Building Wraps (tick one or more)</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"></td> <td style="width: 10%;">Flamestop</td> <td style="width: 10%;">Thermacraft</td> <td style="width: 10%;">Bitumac</td> <td style="width: 10%;">CoverTek</td> <td style="width: 10%;">Pauloid</td> <td style="width: 10%;">Black Paper</td> <td style="width: 10%;">Other (state)</td> <td style="width: 10%;">Diflex 130</td> <td style="width: 10%;">Tekton</td> </tr> <tr> <td>Roof wrap</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td></td> <td>Flamestop</td> <td>Tyvek</td> <td>Thermacraft</td> <td>Frameguard</td> <td>Home RAB</td> <td>Fastwrap</td> <td>Paper</td> <td>(state)</td> <td>Diflex 130</td> <td>Tekton</td> <td>Ecoply Barrier</td> </tr> <tr> <td>Wall wrap</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </table>			Flamestop	Thermacraft	Bitumac	CoverTek	Pauloid	Black Paper	Other (state)	Diflex 130	Tekton	Roof wrap	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Flamestop	Tyvek	Thermacraft	Frameguard	Home RAB	Fastwrap	Paper	(state)	Diflex 130	Tekton	Ecoply Barrier	Wall wrap	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>											
	Flamestop	Thermacraft	Bitumac	CoverTek	Pauloid	Black Paper	Other (state)	Diflex 130	Tekton																																															
Roof wrap	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																															
	Flamestop	Tyvek	Thermacraft	Frameguard	Home RAB	Fastwrap	Paper	(state)	Diflex 130	Tekton	Ecoply Barrier																																													
Wall wrap	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																													
<p>Wall Cladding State type and approximate % wall coverage</p> <p>e.g. Fibre cement, 75% Other examples include: tilt slab, concrete block, steel zincalum, glazing, aluminium, Clay Brick, 15% radiata WB, linea WB etc. Cedar WB, 10%</p> <p>Type % area</p> <p>Type % area</p> <p>Type % area</p> <p>If Fibre Cement cladding is used, who is the manufacturer? Hardies <input type="checkbox"/> BGC <input type="checkbox"/> CSR <input type="checkbox"/> PRIMA <input type="checkbox"/> Other <input type="checkbox"/> Eterpan <input type="checkbox"/></p> <p>Fibre Cement product used as Applied texture finish sheet, Flat sheet, FC plank (7.5mm), Linea (16mm)</p> <p>If solid plaster, what backing was used? Fibre cement, plywood, paper, Triple S, block/brick, metal lathe</p>																																																								
<p>Wet Area Linings (bathroom, kitchen, laundry etc)</p> <p>Please state the approximate square metres used</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Formica Aquapanel</td> <td style="width: 15%;">Seratone</td> <td style="width: 15%;">Villaboard</td> <td style="width: 15%;">Hardiglaze</td> <td style="width: 15%;">GIB</td> <td style="width: 15%;">Aqualine</td> <td style="width: 15%;">Other (state)</td> </tr> <tr> <td><input type="text"/> m²</td> <td><input type="text"/> m²</td> <td><input type="text"/> m²</td> <td><input type="text"/> m²</td> <td><input type="text"/> m²</td> <td><input type="text"/> m²</td> <td><input type="text"/> m²</td> </tr> </table>		Formica Aquapanel	Seratone	Villaboard	Hardiglaze	GIB	Aqualine	Other (state)	<input type="text"/> m ²	<input type="text"/> m ²	<input type="text"/> m ²	<input type="text"/> m ²	<input type="text"/> m ²	<input type="text"/> m ²	<input type="text"/> m ²																																									
Formica Aquapanel	Seratone	Villaboard	Hardiglaze	GIB	Aqualine	Other (state)																																																		
<input type="text"/> m ²	<input type="text"/> m ²	<input type="text"/> m ²	<input type="text"/> m ²	<input type="text"/> m ²	<input type="text"/> m ²	<input type="text"/> m ²																																																		
<p>Roof Cladding (only applicable if there is new roof cladding)</p> <p>What roof cladding was used? (circle one or state below)</p> <p>metal tiles, prepainted corrugated, trough zincalum, other steel profiles, concrete tiles, butyl, asphalt shingles, other (state)</p> <p style="text-align: right;">Approx. Roof Area: sqm</p> <p>Type of roof structure Timber <input type="checkbox"/> Steel <input type="checkbox"/> Concrete Slab <input type="checkbox"/></p>																																																								
<p>Thank you. Please fold this form, and freepost it in the return envelope</p>																																																								

A.4 Survey form October 2015

NON-RESIDENTIAL											
Please give this form to the builder or designer to fill out for the building consent listed over the page. Contract value of work (incl sub-trades) \$ incl GST											
Type of Building (state type) e.g. Office, school, farm building etc <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> tick floor area New <input type="checkbox"/> sqm Addition <input type="checkbox"/> sqm Alteration <input type="checkbox"/> (describe alterations) </div> <div style="width: 45%;"> Number of storeys: Average storey height: m </div> </div>											
Are you claiming "green" building features? Yes / No If Yes, what type?											
Main Structure Concrete Frame <input type="checkbox"/> Timber Frame <input type="checkbox"/> Concrete Block <input type="checkbox"/> LVL <input type="checkbox"/> Glulam <input type="checkbox"/> Steel Frame <input type="checkbox"/> Tilt Slab <input type="checkbox"/> Insulated Panel <input type="checkbox"/> Other (state)											
Floor Base Material Concrete sqm Particle Board sqm Plywood sqm Other (state) sqm If concrete, have any steel deck trays been used? Yes / No (circle one)											
Partition Wall Framing (tick one or more) Timber <input type="checkbox"/> Steel <input type="checkbox"/> Concrete <input type="checkbox"/> Other (state)											
Wall Infill Framing (between main frame) (tick one or more) Radiata <input type="checkbox"/> Steel <input type="checkbox"/> Douglas Fir <input type="checkbox"/> Concrete block <input type="checkbox"/> Other (state)											
Prefabrication Are any prefabricated components used? Yes / No If yes, describe applicable component(s) below: Prefab Frame Prefab Floors Prefab Walls Prefab Other											
Insulation (tick one or more) <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">None <input type="checkbox"/></td> <td style="width: 10%;">Pink Batts <input type="checkbox"/></td> <td style="width: 10%;">Bradford Gold <input type="checkbox"/></td> <td style="width: 10%;">Premier <input type="checkbox"/></td> <td style="width: 10%;">Knauf Earthwool <input type="checkbox"/></td> <td style="width: 10%;">Autex Greenstuf <input type="checkbox"/></td> <td style="width: 10%;">Other Polyester <input type="checkbox"/></td> <td style="width: 10%;">Wool <input type="checkbox"/></td> <td style="width: 10%;">Polystyrene <input type="checkbox"/></td> <td style="width: 10%;">Other (state) <input type="checkbox"/></td> </tr> </table> Wall insulation Ceiling insulation Concrete slab insulation Floor insulation: Underslab full/partial <input type="checkbox"/> Perimeter edge <input type="checkbox"/> Under footing <input type="checkbox"/> Timber sub-floor insulation Polystyrene <input type="checkbox"/> Polyester <input type="checkbox"/> Glasswool <input type="checkbox"/> Foil <input type="checkbox"/> Insulation Installer (name) Builder <input type="checkbox"/> Other (please specify) <input type="checkbox"/>		None <input type="checkbox"/>	Pink Batts <input type="checkbox"/>	Bradford Gold <input type="checkbox"/>	Premier <input type="checkbox"/>	Knauf Earthwool <input type="checkbox"/>	Autex Greenstuf <input type="checkbox"/>	Other Polyester <input type="checkbox"/>	Wool <input type="checkbox"/>	Polystyrene <input type="checkbox"/>	Other (state) <input type="checkbox"/>
None <input type="checkbox"/>	Pink Batts <input type="checkbox"/>	Bradford Gold <input type="checkbox"/>	Premier <input type="checkbox"/>	Knauf Earthwool <input type="checkbox"/>	Autex Greenstuf <input type="checkbox"/>	Other Polyester <input type="checkbox"/>	Wool <input type="checkbox"/>	Polystyrene <input type="checkbox"/>	Other (state) <input type="checkbox"/>		
Building Wraps Flamestop <input type="checkbox"/> Bitumac <input type="checkbox"/> Tyvek Supro <input type="checkbox"/> CoverTek <input type="checkbox"/> Thermakraft <input type="checkbox"/> Fastwrap <input type="checkbox"/> Pauloid <input type="checkbox"/> Other (state) <input type="checkbox"/> Roof Wrap											
(tick one or more) Wall Wrap Bitumac <input type="checkbox"/> Tyvek Homewra <input type="checkbox"/> Watergate <input type="checkbox"/> Covertek <input type="checkbox"/> Thermakraft <input type="checkbox"/> Tekton <input type="checkbox"/> Fastwrap <input type="checkbox"/> Pauloid <input type="checkbox"/> Ecoply Barrier <input type="checkbox"/> Other (state) <input type="checkbox"/>											
Wall Cladding State type and approximate % wall coverage e.g. Concrete block, 75% Other examples include: tilt slab, concrete block, steel zincalume, glazing, aluminium, Clay Brick, 15% radiata WB, linea WB etc. Cedar WB, 10% Type % area Type % area Type % area If Fibre Cement product, what is it used as? (circle one) Applied texture finish sheet, Flat sheet, FC plank (7.5mm), Linea (16mm)											
Wet Area Linings (bathroom, kitchen, laundry etc) Please state the approximate square metres used Formica Aquapanel <input type="text"/> m ² Seratone <input type="text"/> m ² Villaboard <input type="text"/> m ² Hardiglaze <input type="text"/> m ² GIB <input type="text"/> m ² Aqualine <input type="text"/> m ² Other (state) <input type="text"/> m ²											
Spouting What profile is the SPOUTING? ¼ round/quad <input type="checkbox"/> ½ round <input type="checkbox"/> Old gothic <input type="checkbox"/> Box <input type="checkbox"/> Other (state) What material is the SPOUTING? PVC (White) <input type="checkbox"/> PVC (Colour) <input type="checkbox"/> Steel <input type="checkbox"/> Aluminium <input type="checkbox"/> Copper <input type="checkbox"/> Other (state) Who installed the SPOUTING? Roofer <input type="checkbox"/> Spouting installer <input type="checkbox"/> Builder <input type="checkbox"/> Plumber <input type="checkbox"/> Other (state)											
Downpipes What profile are the DOWNPIPES? 65mm round <input type="checkbox"/> 80mm round <input type="checkbox"/> 100mm round <input type="checkbox"/> 65x50mm rectangular <input type="checkbox"/> 100x50mm rectangular <input type="checkbox"/> Other (state) What material are the DOWNPIPES? PVC (White) <input type="checkbox"/> PVC (Colour) <input type="checkbox"/> Steel <input type="checkbox"/> Aluminium <input type="checkbox"/> Copper <input type="checkbox"/> Other (state) Who installed the DOWNPIPES? Roofer <input type="checkbox"/> Spouting installer <input type="checkbox"/> Builder <input type="checkbox"/> Plumber <input type="checkbox"/> Other (state)											
Roof Cladding (only applicable if there is new roof cladding) What roof cladding was used? (circle one or state below) metal tiles, prepainted corrugated, trough zincalume, other steel profiles, concrete tiles, butyl, asphalt shingles, other (state) Approx. Roof Area: sqm Type of roof structure Timber <input type="checkbox"/> Steel <input type="checkbox"/> Concrete Slab <input type="checkbox"/>											
Thank you. Please fold this form, and freepost it in the return envelope Oct-15											