





KIWI NAILS JOIST HANGERS



Product

Kiwi Nails Joist Hangers are an alternative connection of curtail joist to trimmer or trimmer to trimming joist as described in NZS 3604, 7.7 (a) and 7.7 (b), for timber framed structures designed in accordance with NZS 3604. They may also be used to fix joists to stringers, beams or ribbon plates. The joist hangers are galvanised and come in four sizes.

Handling and Storage

Store in covered, dry conditions until installation.


Design Information

Kiwi Nails Joist Hangers are galvanised and must be used only in locations permitted by table 4.1 of NZS 3604, situations of use include:

- in a closed environment. or,
- in Zones B and C subfloor spaces vented 7000 mm² or less and more than 600 mm from the ground.

Responsibilities

Installers of the Kiwi Nails Joist Hangers are responsible for installing as per the guidelines in this technical literature.



JOIST HANGER TYPE	NO. OF NAILS PER FLANGE	CHARACTERISTIC LOAD (DOWN)
HGHG 4690	3	9.0 kN
HGHG 46120	5	16.0 kN
HGHG 94165	8	25.0 kN
HGHG 46180	8	30.4 kN
30 x 3.15 mm nails		

NOTE: 4 FLANGES PER HANGER

MATERIAL: 0.91 mm GALVANISED STEEL

Joist Size	Joist Hanger Product Code	1.5kPa and 2.0 kPa Floor loads Nails per flange
90 x 45	HGHG 4690	2
140 x 45	HGHG 4690	2
190 x 45	HGHG 46120	3
240 x 45	HGHG 46120	3
290 x 45	HGHG 46180	4
190 x 90	HGHG 94165	3
240 x 90	HGHG 94165	3
290 x 90	HGHG 94165	4
Notes: 30 x 3.15 mm nails		



**KIWI NAILS
FASTENERS LTD**

6B Lorien Place,
East Tamaki,
Auckland 2013
P: [09] 274 8588
E: info@kiwinails.co.nz