

STUDY REPORT

SR 225 (2010)

Residential Kitchen Local Fire Protection Experiments Appendix D

A.P. Robbins



The work reported here was jointly funded by BRANZ from the Building Research Levy and the New Zealand Fire Service Commission Contestable Research Fund.

© BRANZ 2010 ISSN: 1179-6197

Con	tents	Page
APP	ENDIX A DETAILS OF KITCHEN FIRE RESULTS	12
A.1	Test 1	12
A.2	Test 2	14
A.3	Test 3	
A.4	Test 4	
A.5	Test 5	
A.6	Test 6	_
A.7	Test 7	
A.8	Test 8	
A.9	Test 9	
A.10	Test 10	
A.11	Test 11	
A.12	Test 12	
A.13	Test 13	
A.14	Test 14	
	Test 15	
	Test 16	
A.10	Test 17	
	Test 18	
_	Test 19	_
	Test 20	
	Test 21	
	Test 22	_
	Test 23	_
	Test 24	
	Test 25	
	Test 27 – Electrical Contact Failure	
	Test 28 Test 29	
	Test 30	
	Test 31	
_	Test 32 – Electric element, Skillet, 200 ml Canola oil, Cup of water added	
	Test 33 – Electric element, Skillet, 200 ml Canola oil, Cup of water added	
	Test 34 – Electric element, Skillet, 200 ml Canola oil, Cup of water added ()	_
	ly than Tests 32 or 33)	
	Test 35	
	Test 36	
	Test 37	
	Test 38	_
	Test 39	
	Test 40	
	Test 41	
	Test 42	_
Д ДЗ	Test 43	94

A.44	Test 44 – Aborted due to electrical contact failure	96
A.45	Test 45	96
A.46	Test 46 – Aborted due to electrical contact failure	98
	Test 47	
A.48	Test 48	100
A.49	Test 49	102
A.50	Test 50	104
	Test 51	
A.52	Test 52	108
A.53	Test 53	110
	Test 54	
A.55	Test 55	114
A.56	Test 56	116
A.57	Test 57	118
A.58	Test 58	120
A.59	Test 59	122
A.60	Test 60	124
A.61	Test 61	126
A.62	Test 62	128
A.63	Test 63	130
A.64	Test 64	132
A.65	Test 65	134
A.66	Test 66	136
A.67	Test 67	138
A.68	Test 68	140
A.69	Test 69	142
A.70	Test 70	144

Figures Page

Figure 140: Measured temperatures of the thermocouples and plate thermometers for Test 1	
Figure 141: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the stove-top for Test 1	0
Figure 142: Differences of each of the variable temperatures to between sequential time steps fo	or 13
Figure 143: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 1	n
Figure 144: Measured temperatures of the thermocouples and plate thermometers for Test 2 Figure 145: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the stove-top for Test 2	14 0
Figure 146: Differences of each of the variable temperatures to between sequential time steps fo	r
Figure 147: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 2	n
Figure 148: Measured temperatures of the thermocouples and plate thermometers for Test 3 Figure 149: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the stove-top for Test 3	16 0
Figure 150: Differences of each of the variable temperatures to between sequential time steps fo Test 3.	
Figure 151: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 3	17
Figure 152: Measured temperatures of the thermocouples and plate thermometers for Test 4 Figure 153: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the stove-top for Test 4	
	19
Figure 155: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 4	19
Figure 156: Measured temperatures of the thermocouples and plate thermometers for Test 5 Figure 157: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the stove-top for Test 5	0
Figure 158: Differences of each of the variable temperatures to between sequential time steps fo	
Figure 159: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 5	n 21
Figure 1: Measured temperatures of the thermocouples and plate thermometers for Test 6	
Figure 3: Differences of each of the variable temperatures to between sequential time steps fo Test 6	or 23
Figure 4: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 6	24
Figure 5: Measured temperatures of the thermocouples and plate thermometers for Test 7	0
Figure 7: Differences of each of the variable temperatures to between sequential time steps fo Test 7	or 25
Figure 8: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 7	25
Figure 9: Measured temperatures of the thermocouples and plate thermometers for Test 8	0

Figure 11: Differences of each of the variable temperatures to between sequential time steps for
Test 827
Figure 12: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 827
Figure 13: Measured temperatures of the thermocouples and plate thermometers for Test 928
Figure 14: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 928
Figure 15: Differences of each of the variable temperatures to between sequential time steps for
Test 929
Figure 16: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 929
Figure 17: Measured temperatures of the thermocouples and plate thermometers for Test 1030
Figure 18: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 1030
Figure 19: Differences of each of the variable temperatures to between sequential time steps for
Test 10
Figure 20: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 10
Figure 21: Measured temperatures of the thermocouples and plate thermometers for Test 1132
Figure 22: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 11
Figure 23: Differences of each of the variable temperatures to between sequential time steps for
Test 1133
Figure 24: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 1133
Figure 25: Measured temperatures of the thermocouples and plate thermometers for Test 1234
Figure 26: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 1234
Figure 27: Differences of each of the variable temperatures to between sequential time steps for
Test 1235
Figure 28: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 1235
Figure 29: Measured temperatures of the thermocouples and plate thermometers for Test 1336
Figure 30: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
· · · · · · · · · · · · · · · · · · ·
mm above the surface of the range for Test 13
Figure 31: Differences of each of the variable temperatures to between sequential time steps for Test 13
Figure 32: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 13
Figure 33: Measured temperatures of the thermocouples and plate thermometers for Test 1438
Figure 34: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 14
Figure 35: Differences of each of the variable temperatures to between sequential time steps for
Test 14
Figure 36: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 1439
Figure 37: Measured temperatures of the thermocouples and plate thermometers for Test 1540
Figure 38: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 1540
Figure 39: Differences of each of the variable temperatures to between sequential time steps for
Test 1541
Figure 40: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 1541
Figure 41: Measured temperatures of the thermocouples and plate thermometers for Test 1642

Figure 42: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 164	
Figure 43: Differences of each of the variable temperatures to between sequential time steps for	
Test 164	
Figure 44: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 164	
Figure 45: Measured temperatures of the thermocouples and plate thermometers for Test 174	4
Figure 46: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 174	
Figure 47: Differences of each of the variable temperatures to between sequential time steps for Test 174	
Figure 48: Ratios of each of the variable temperatures to the temperatures at the time of ignition	
for Test 174	
Figure 49: Measured temperatures of the thermocouples and plate thermometers for Test 184	
Figure 50: Estimates of the incident radiation for the plate thermometers located 50 mm and 350	
mm above the surface of the range for Test 184	
Figure 51: Differences of each of the variable temperatures to between sequential time steps for	
Test 184	
Figure 52: Ratios of each of the variable temperatures to the temperatures at the time of ignition	
for Test 184	
Figure 53: Measured temperatures of the thermocouples and plate thermometers for Test 194	8
Figure 54: Estimates of the incident radiation for the plate thermometers located 50 mm and 350	
mm above the surface of the range for Test 194	8
Figure 55: Differences of each of the variable temperatures to between sequential time steps for	
Test 194	
Figure 56: Ratios of each of the variable temperatures to the temperatures at the time of ignition	
for Test 194	
Figure 57: Measured temperatures of the thermocouples and plate thermometers for Test 205	0
Figure 58: Estimates of the incident radiation for the plate thermometers located 50 mm and 350	
mm above the surface of the range for Test 205	
Figure 59: Differences of each of the variable temperatures to between sequential time steps for	
Test 20	
Figure 60: Ratios of each of the variable temperatures to the temperatures at the time of ignition	
for Test 20.	
Figure 61: Measured temperatures of the thermocouples and plate thermometers for Test 215	2
Figure 62: Estimates of the incident radiation for the plate thermometers located 50 mm and 350	
mm above the surface of the range for Test 215	
Figure 63: Differences of each of the variable temperatures to between sequential time steps for	
Test 215	
Figure 64: Ratios of each of the variable temperatures to the temperatures at the time of ignition	
for Test 215	
Figure 65: Measured temperatures of the thermocouples and plate thermometers for Test 225	
Figure 66: Estimates of the incident radiation for the plate thermometers located 50 mm and 350	
mm above the surface of the range for Test 225	
Figure 67: Differences of each of the variable temperatures to between sequential time steps for	
Test 225	
Figure 68: Ratios of each of the variable temperatures to the temperatures at the time of ignition	
· · · · · · · · · · · · · · · · · · ·	
for Test 22	
Figure 69: Measured temperatures of the thermocouples and plate thermometers for Test 235	
Figure 70: Estimates of the incident radiation for the plate thermometers located 50 mm and 350	
mm above the surface of the range for Test 235	
Figure 71: Differences of each of the variable temperatures to between sequential time steps for	
Test 23	
Figure 72: Ratios of each of the variable temperatures to the temperatures at the time of ignition	
for Test 235	1

Figure 73: Measured temperatures of the thermocouples and plate thermometers for Test 2458
Figure 74: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 24
Figure 75: Differences of each of the variable temperatures to between sequential time steps for
Test 2459
Figure 76: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 24
Figure 77: Measured temperatures of the thermocouples and plate thermometers for Test 2560
Figure 78: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 25
Figure 79: Differences of each of the variable temperatures to between sequential time steps for
Test 25
Figure 80: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 25
Figure 81: Measured temperatures of the thermocouples and plate thermometers for Test 2662
Figure 82: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 26
Figure 83: Differences of each of the variable temperatures to between sequential time steps for
Test 2663
Figure 84: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 26
Figure 85: Measured temperatures of the thermocouples and plate thermometers for Test 2864
Figure 86: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 28
Figure 87: Differences of each of the variable temperatures to between sequential time steps for Test 28
Figure 88: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 2865
Figure 89: Measured temperatures of the thermocouples and plate thermometers for Test 2966
Figure 90: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 2966
Figure 91: Differences of each of the variable temperatures to between sequential time steps for
Test 29
Figure 92: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 29
Figure 93: Measured temperatures of the thermocouples and plate thermometers for Test 3068
Figure 94: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 30.
Figure 95: Differences of each of the variable temperatures to between sequential time steps for
Test 30
Figure 96: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 30.
Figure 97: Measured temperatures of the thermocouples and plate thermometers for Test 3170
Figure 98: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 3170
Figure 99: Differences of each of the variable temperatures to between sequential time steps for
Test 3171
Figure 100: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 3171
Figure 101: Measured temperatures of the thermocouples and plate thermometers for Test 3272
Figure 102: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 32.
Figure 103: Differences of each of the variable temperatures to between sequential time steps for
Test 3273

Figure 104: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 3273
Figure 105: Measured temperatures of the thermocouples and plate thermometers for Test 3374
Figure 106: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 3374
Figure 107: Differences of each of the variable temperatures to between sequential time steps for Test 33
Figure 108: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 33
Figure 109: Measured temperatures of the thermocouples and plate thermometers for Test 3476
Figure 110: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 34.
Figure 111: Differences of each of the variable temperatures to between sequential time steps for
Test 34
Figure 112: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 34
Figure 113: Measured temperatures of the thermocouples and plate thermometers for Test 3578
Figure 114: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 35
Figure 115: Differences of each of the variable temperatures to between sequential time steps for
Test 35
Figure 116: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 3579
Figure 117: Measured temperatures of the thermocouples and plate thermometers for Test 3680
Figure 118: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 3680
Figure 119: Differences of each of the variable temperatures to between sequential time steps for Test 36
Figure 120: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 3681
Figure 121: Measured temperatures of the thermocouples and plate thermometers for Test 3782
Figure 122: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 3782
Figure 123: Differences of each of the variable temperatures to between sequential time steps for Test 37.
Figure 124: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 3783
Figure 125: Measured temperatures of the thermocouples and plate thermometers for Test 3884
Figure 126: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 38.
Figure 127: Differences of each of the variable temperatures to between sequential time steps for
Test 3885
Figure 128: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 3885
Figure 129: Measured temperatures of the thermocouples and plate thermometers for Test 3986
Figure 130: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 3986
Figure 131: Differences of each of the variable temperatures to between sequential time steps for
Test 39
Figure 132: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 39
Figure 133: Measured temperatures of the thermocouples and plate thermometers for Test 4088
Figure 134: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 4088

Figure 135: Differences of each of the variable temperatures to between sequential time steps for
Test 40
Figure 136: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 40
Figure 137: Measured temperatures of the thermocouples and plate thermometers for Test 4190
Figure 138: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 4190
Figure 139: Differences of each of the variable temperatures to between sequential time steps for
Test 4191
Figure 140: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 4191
Figure 141: Measured temperatures of the thermocouples and plate thermometers for Test 4292
Figure 142: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 4292
Figure 143: Differences of each of the variable temperatures to between sequential time steps for
Test 4293
Figure 144: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 4293
Figure 145: Measured temperatures of the thermocouples and plate thermometers for Test 4394
Figure 146: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 4394
Figure 147: Differences of each of the variable temperatures to between sequential time steps for
Test 4395
Figure 148: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 4395
Figure 149: Measured temperatures of the thermocouples and plate thermometers for Test 4496
Figure 150: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 4496
Figure 151: Differences of each of the variable temperatures to between sequential time steps for
Test 4497
Figure 152: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 4497
Figure 153: Measured temperatures of the thermocouples and plate thermometers for Test 4598
Figure 154: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 4598
Figure 155: Differences of each of the variable temperatures to between sequential time steps for
Test 4599
Figure 156: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 4599
Figure 157: Measured temperatures of the thermocouples and plate thermometers for Test 46100
Figure 158: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 46100
Figure 159: Differences of each of the variable temperatures to between sequential time steps for
Test 46101
Figure 160: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 46101
Figure 161: Measured temperatures of the thermocouples and plate thermometers for Test 47102
Figure 162: Estimates of the incident radiation for the plate thermometers located 50 mm and 350
mm above the surface of the range for Test 47102
Figure 163: Differences of each of the variable temperatures to between sequential time steps for
Test 47103
Figure 164: Ratios of each of the variable temperatures to the temperatures at the time of ignition
for Test 47103
Figure 165: Measured temperatures of the thermocouples and plate thermometers for Test 50104

Figure 166: Estimates of the incident radiation for the plate thermometers located 50 mm and 3	
	.104
Figure 167: Differences of each of the variable temperatures to between sequential time steps	for
Test 50	.105
Figure 168: Ratios of each of the variable temperatures to the temperatures at the time of ignit	ion
for Test 50	.105
Figure 169: Measured temperatures of the thermocouples and plate thermometers for Test 51.	.106
Figure 170: Estimates of the incident radiation for the plate thermometers located 50 mm and 3	350
mm above the surface of the range for Test 51.	
Figure 171: Differences of each of the variable temperatures to between sequential time steps	for
Test 51	
Figure 172: Ratios of each of the variable temperatures to the temperatures at the time of ignit	ion
for Test 51	
Figure 173: Measured temperatures of the thermocouples and plate thermometers for Test 52.	.108
Figure 174: Estimates of the incident radiation for the plate thermometers located 50 mm and 3	
mm above the surface of the range for Test 52	
Figure 175: Differences of each of the variable temperatures to between sequential time steps	
Test 52	
Figure 176: Ratios of each of the variable temperatures to the temperatures at the time of ignit	
for Test 52.	
Figure 177: Measured temperatures of the thermocouples and plate thermometers for Test 53.	
Figure 178: Estimates of the incident radiation for the plate thermometers located 50 mm and 3	
mm above the surface of the range for Test 53.	
Figure 179: Differences of each of the variable temperatures to between sequential time steps	
Test 53.	
Figure 180: Ratios of each of the variable temperatures to the temperatures at the time of ignit	
for Test 53.	
Figure 181: Measured temperatures of the thermocouples and plate thermometers for Test 54.	
Figure 182: Estimates of the incident radiation for the plate thermometers located 50 mm and 3	
mm above the surface of the range for Test 54.	
Figure 183: Differences of each of the variable temperatures to between sequential time steps	
Test 54.	
Figure 184: Ratios of each of the variable temperatures to the temperatures at the time of ignit	
for Test 54.	
Figure 185: Measured temperatures of the thermocouples and plate thermometers for Test 55.	
Figure 186: Estimates of the incident radiation for the plate thermometers located 50 mm and 3	
mm above the surface of the range for Test 55.	
Figure 187: Differences of each of the variable temperatures to between sequential time steps	
Test 55.	
Figure 188: Ratios of each of the variable temperatures to the temperatures at the time of ignit	
for Test 55.	
Figure 189: Measured temperatures of the thermocouples and plate thermometers for Test 56.	116
Figure 190: Estimates of the incident radiation for the plate thermometers located 50 mm and 3	
mm above the surface of the range for Test 56.	
Figure 191: Differences of each of the variable temperatures to between sequential time steps	
Test 56.	
Figure 192: Ratios of each of the variable temperatures to the temperatures at the time of ignit	
for Test 56.	
Figure 193: Measured temperatures of the thermocouples and plate thermometers for Test 57.	
Figure 194: Estimates of the incident radiation for the plate thermometers located 50 mm and 3	
mm above the surface of the range for Test 57.	
Figure 195: Differences of each of the variable temperatures to between sequential time steps	
Test 57	110
Figure 196: Ratios of each of the variable temperatures to the temperatures at the time of ignit	
for Test 57for Test 57	
101 1001 07	

Figure 197: Measured temperatures of the thermocouples and plate thermometers for Test 5812	
Figure 198: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 58	
Figure 199: Differences of each of the variable temperatures to between sequential time steps for	
Test 5812	21
Figure 200: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 58	
Figure 201: Measured temperatures of the thermocouples and plate thermometers for Test 5912	22
Figure 202: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 59.)
Figure 203: Differences of each of the variable temperatures to between sequential time steps for	
Test 59	
Figure 204: Ratios of each of the variable temperatures to the temperatures at the time of ignition	
for Test 5912	23
Figure 205: Measured temperatures of the thermocouples and plate thermometers for Test 6012	
Figure 206: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 60	
Figure 207: Differences of each of the variable temperatures to between sequential time steps for	
Test 60	25
Figure 208: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 60	
Figure 209: Measured temperatures of the thermocouples and plate thermometers for Test 6112	
Figure 210: Estimates of the incident radiation for the plate thermometers located 50 mm and 350)
mm above the surface of the range for Test 61	
Figure 211: Differences of each of the variable temperatures to between sequential time steps for Test 61	
Figure 212: Ratios of each of the variable temperatures to the temperatures at the time of ignition	
for Test 61	
Figure 213: Measured temperatures of the thermocouples and plate thermometers for Test 6212	
Figure 214: Estimates of the incident radiation for the plate thermometers located 50 mm and 350	
mm above the surface of the range for Test 6212	
Figure 215: Differences of each of the variable temperatures to between sequential time steps for	
T + 00	
12	
· · · · · · · · · · · · · · · · · · ·	
for Test 62	
Figure 217: Measured temperatures of the thermocouples and plate thermometers for Test 6313	
Figure 218: Estimates of the incident radiation for the plate thermometers located 50 mm and 350	
mm above the surface of the range for Test 63	
Figure 219: Differences of each of the variable temperatures to between sequential time steps for	
Test 63	
Figure 220: Ratios of each of the variable temperatures to the temperatures at the time of ignition	
for Test 6313	
Figure 221: Measured temperatures of the thermocouples and plate thermometers for Test 6413	
Figure 222: Estimates of the incident radiation for the plate thermometers located 50 mm and 350	
mm above the surface of the range for Test 6413	
Figure 223: Differences of each of the variable temperatures to between sequential time steps for Test 64	
Figure 224: Ratios of each of the variable temperatures to the temperatures at the time of ignition	
for Test 6413	
Figure 225: Measured temperatures of the thermocouples and plate thermometers for Test 6513	
Figure 226: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 65	
Figure 227: Differences of each of the variable temperatures to between sequential time steps for	
Test 6513	

Figure 228: Ratios of each of the variable temperatures to the temperatures at the time of ignition	
for Test 65	
Figure 229: Measured temperatures of the thermocouples and plate thermometers for Test 6613 Figure 230: Estimates of the incident radiation for the plate thermometers located 50 mm and 350	
mm above the surface of the range for Test 6613	
Figure 231: Differences of each of the variable temperatures to between sequential time steps for	
Test 6613	7
Figure 232: Ratios of each of the variable temperatures to the temperatures at the time of ignition	
for Test 6613	
Figure 233: Measured temperatures of the thermocouples and plate thermometers for Test 6713	8
Figure 234: Estimates of the incident radiation for the plate thermometers located 50 mm and 350	
mm above the surface of the range for Test 67	
Figure 235: Differences of each of the variable temperatures to between sequential time steps for	
Test 6713	
Figure 236: Ratios of each of the variable temperatures to the temperatures at the time of ignition	
for Test 6713	9
Figure 237: Measured temperatures of the thermocouples and plate thermometers for Test 6814	0
Figure 238: Estimates of the incident radiation for the plate thermometers located 50 mm and 350	
mm above the surface of the range for Test 6814	0
Figure 239: Differences of each of the variable temperatures to between sequential time steps for	
Test 6814	1
Figure 240: Ratios of each of the variable temperatures to the temperatures at the time of ignition	
for Test 6814	1
Figure 241: Measured temperatures of the thermocouples and plate thermometers for Test 6914.	2
Figure 242: Estimates of the incident radiation for the plate thermometers located 50 mm and 350	
mm above the surface of the range for Test 6914	2
Figure 243: Differences of each of the variable temperatures to between sequential time steps for	
Test 6914	
Figure 244: Ratios of each of the variable temperatures to the temperatures at the time of ignition	
for Test 6914	3
Figure 245: Measured temperatures of the thermocouples and plate thermometers for Test 7014	4
Figure 246: Estimates of the incident radiation for the plate thermometers located 50 mm and 350	
mm above the surface of the range for Test 7014	
Figure 247: Differences of each of the variable temperatures to between sequential time steps for	
Test 7014	5
Figure 248: Ratios of each of the variable temperatures to the temperatures at the time of ignition	
for Test 7014	5

APPENDIX A DETAILS OF KITCHEN FIRE RESULTS

A.1 Test 1




Figure 1: Measured temperatures of the thermocouples and plate thermometers for Test 1.




Figure 2: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the stove-top for Test 1.




Figure 3: Differences of each of the variable temperatures to between sequential time steps for Test 1.




Figure 4: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 1.

A.2 Test 2




Figure 5: Measured temperatures of the thermocouples and plate thermometers for Test 2.




Figure 6: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the stove-top for Test 2.




Figure 7: Differences of each of the variable temperatures to between sequential time steps for Test 2.




Figure 8: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 2.

A.3 Test 3




Figure 9: Measured temperatures of the thermocouples and plate thermometers for Test 3.




Figure 10: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the stove-top for Test 3.




Figure 11: Differences of each of the variable temperatures to between sequential time steps for Test 3.




Figure 12: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 3.

A.4 Test 4




Figure 13: Measured temperatures of the thermocouples and plate thermometers for Test 4.




Figure 14: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the stove-top for Test 4.




Figure 15: Differences of each of the variable temperatures to between sequential time steps for Test 4.




Figure 16: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 4.

A.5 Test 5




Figure 17: Measured temperatures of the thermocouples and plate thermometers for Test 5.




Figure 18: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the stove-top for Test 5.




Figure 19: Differences of each of the variable temperatures to between sequential time steps for Test 5.




Figure 20: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 5.

A.6 Test 6




Figure 21: Measured temperatures of the thermocouples and plate thermometers for Test 6.




Figure 22: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 6.




Figure 23: Differences of each of the variable temperatures to between sequential time steps for Test 6.




Figure 24: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 6.

A.7 Test 7




Figure 25: Measured temperatures of the thermocouples and plate thermometers for Test 7.




Figure 26: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 7.




Figure 27: Differences of each of the variable temperatures to between sequential time steps for Test 7.




Figure 28: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 7.

A.8 Test 8




Figure 29: Measured temperatures of the thermocouples and plate thermometers for Test 8.




Figure 30: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 8.




Figure 31: Differences of each of the variable temperatures to between sequential time steps for Test 8.




Figure 32: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 8.

A.9 Test 9




Figure 33: Measured temperatures of the thermocouples and plate thermometers for Test 9.




Figure 34: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 9.




Figure 35: Differences of each of the variable temperatures to between sequential time steps for Test 9.




Figure 36: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 9.

A.10 Test 10




Figure 37: Measured temperatures of the thermocouples and plate thermometers for Test 10.




Figure 38: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 10.




Figure 39: Differences of each of the variable temperatures to between sequential time steps for Test 10.




Figure 40: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 10.

A.11 Test 11




Figure 41: Measured temperatures of the thermocouples and plate thermometers for Test 11.




Figure 42: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 11.




Figure 43: Differences of each of the variable temperatures to between sequential time steps for Test 11.




Figure 44: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 11.

A.12 Test 12




Figure 45: Measured temperatures of the thermocouples and plate thermometers for Test 12.




Figure 46: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 12.




Figure 47: Differences of each of the variable temperatures to between sequential time steps for Test 12.




Figure 48: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 12.

A.13 Test 13




Figure 49: Measured temperatures of the thermocouples and plate thermometers for Test 13.




Figure 50: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 13.




Figure 51: Differences of each of the variable temperatures to between sequential time steps for Test 13.




Figure 52: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 13.

A.14 Test 14




Figure 53: Measured temperatures of the thermocouples and plate thermometers for Test 14.




Figure 54: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 14.




Figure 55: Differences of each of the variable temperatures to between sequential time steps for Test 14.




Figure 56: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 14.

A.15 Test 15




Figure 57: Measured temperatures of the thermocouples and plate thermometers for Test 15.




Figure 58: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 15.




Figure 59: Differences of each of the variable temperatures to between sequential time steps for Test 15.




Figure 60: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 15.

A.16 Test 16




Figure 61: Measured temperatures of the thermocouples and plate thermometers for Test 16.




Figure 62: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 16.




Figure 63: Differences of each of the variable temperatures to between sequential time steps for Test 16.




Figure 64: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 16.

A.17 Test 17




Figure 65: Measured temperatures of the thermocouples and plate thermometers for Test 17.




Figure 66: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 17.




Figure 67: Differences of each of the variable temperatures to between sequential time steps for Test 17.




Figure 68: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 17.

A.18 Test 18




Figure 69: Measured temperatures of the thermocouples and plate thermometers for Test 18.




Figure 70: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 18.




Figure 71: Differences of each of the variable temperatures to between sequential time steps for Test 18.




Figure 72: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 18.

A.19 Test 19




Figure 73: Measured temperatures of the thermocouples and plate thermometers for Test 19.




Figure 74: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 19.




Figure 75: Differences of each of the variable temperatures to between sequential time steps for Test 19.




Figure 76: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 19.

A.20 Test 20




Figure 77: Measured temperatures of the thermocouples and plate thermometers for Test 20.




Figure 78: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 20.




Figure 79: Differences of each of the variable temperatures to between sequential time steps for Test 20.




Figure 80: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 20.

A.21 Test 21




Figure 81: Measured temperatures of the thermocouples and plate thermometers for Test 21.




Figure 82: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 21.




Figure 83: Differences of each of the variable temperatures to between sequential time steps for Test 21.




Figure 84: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 21.

A.22 Test 22




Figure 85: Measured temperatures of the thermocouples and plate thermometers for Test 22.




Figure 86: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 22.




Figure 87: Differences of each of the variable temperatures to between sequential time steps for Test 22.




Figure 88: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 22.

A.23 Test 23




Figure 89: Measured temperatures of the thermocouples and plate thermometers for Test 23.




Figure 90: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 23.




Figure 91: Differences of each of the variable temperatures to between sequential time steps for Test 23.




Figure 92: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 23.

A.24 Test 24




Figure 93: Measured temperatures of the thermocouples and plate thermometers for Test 24.




Figure 94: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 24.




Figure 95: Differences of each of the variable temperatures to between sequential time steps for Test 24.




Figure 96: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 24.

A.25 Test 25




Figure 97: Measured temperatures of the thermocouples and plate thermometers for Test 25.




Figure 98: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 25.




Figure 99: Differences of each of the variable temperatures to between sequential time steps for Test 25.




Figure 100: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 25.

A.26 Test 26




Figure 101: Measured temperatures of the thermocouples and plate thermometers for Test 26.




Figure 102: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 26.




Figure 103: Differences of each of the variable temperatures to between sequential time steps for Test 26.




Figure 104: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 26.

A.27 Test 27 – Electrical Contact Failure

A.28 Test 28




Figure 105: Measured temperatures of the thermocouples and plate thermometers for Test 28.




Figure 106: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 28.




Figure 107: Differences of each of the variable temperatures to between sequential time steps for Test 28.




Figure 108: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 28.

A.29 Test 29




Figure 109: Measured temperatures of the thermocouples and plate thermometers for Test 29.




Figure 110: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 29.




Figure 111: Differences of each of the variable temperatures to between sequential time steps for Test 29.




Figure 112: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 29.

A.30 Test 30




Figure 113: Measured temperatures of the thermocouples and plate thermometers for Test 30.




Figure 114: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 30.




Figure 115: Differences of each of the variable temperatures to between sequential time steps for Test 30.




Figure 116: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 30.

A.31 Test 31




Figure 117: Measured temperatures of the thermocouples and plate thermometers for Test 31.




Figure 118: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 31.




Figure 119: Differences of each of the variable temperatures to between sequential time steps for Test 31.




Figure 120: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 31.

A.32 Test 32 – Electric element, Skillet, 200 ml Canola oil, Cup of water added




Figure 121: Measured temperatures of the thermocouples and plate thermometers for Test 32.




Figure 122: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 32.




Figure 123: Differences of each of the variable temperatures to between sequential time steps for Test 32.




Figure 124: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 32.

A.33 Test 33 – Electric element, Skillet, 200 ml Canola oil, Cup of water added




Figure 125: Measured temperatures of the thermocouples and plate thermometers for Test 33.




Figure 126: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 33.




Figure 127: Differences of each of the variable temperatures to between sequential time steps for Test 33.




Figure 128: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 33.

A.34 Test 34 – Electric element, Skillet, 200 ml Canola oil, Cup of water added (poured more slowly than Tests 32 or 33)




Figure 129: Measured temperatures of the thermocouples and plate thermometers for Test 34.




Figure 130: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 34.




Figure 131: Differences of each of the variable temperatures to between sequential time steps for Test 34.




Figure 132: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 34.

A.35 Test 35




Figure 133: Measured temperatures of the thermocouples and plate thermometers for Test 35.




Figure 134: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 35.




Figure 135: Differences of each of the variable temperatures to between sequential time steps for Test 35.




Figure 136: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 35.

A.36 Test 36




Figure 137: Measured temperatures of the thermocouples and plate thermometers for Test 36.




Figure 138: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 36.




Figure 139: Differences of each of the variable temperatures to between sequential time steps for Test 36.




Figure 140: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 36.

A.37 Test 37




Figure 141: Measured temperatures of the thermocouples and plate thermometers for Test 37.




Figure 142: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 37.




Figure 143: Differences of each of the variable temperatures to between sequential time steps for Test 37.




Figure 144: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 37.

A.38 Test 38




Figure 145: Measured temperatures of the thermocouples and plate thermometers for Test 38.




Figure 146: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 38.




Figure 147: Differences of each of the variable temperatures to between sequential time steps for Test 38.




Figure 148: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 38.

A.39 Test 39




Figure 149: Measured temperatures of the thermocouples and plate thermometers for Test 39.




Figure 150: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 39.




Figure 151: Differences of each of the variable temperatures to between sequential time steps for Test 39.




Figure 152: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 39.

A.40 Test 40




Figure 153: Measured temperatures of the thermocouples and plate thermometers for Test 40.




Figure 154: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 40.




Figure 155: Differences of each of the variable temperatures to between sequential time steps for Test 40.




Figure 156: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 40.

A.41 Test 41




Figure 157: Measured temperatures of the thermocouples and plate thermometers for Test 41.




Figure 158: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 41.




Figure 159: Differences of each of the variable temperatures to between sequential time steps for Test 41.




Figure 160: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 41.

A.42 Test 42




Figure 161: Measured temperatures of the thermocouples and plate thermometers for Test 42.




Figure 162: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 42.




Figure 163: Differences of each of the variable temperatures to between sequential time steps for Test 42.




Figure 164: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 42.

A.43 Test 43




Figure 165: Measured temperatures of the thermocouples and plate thermometers for Test 43.




Figure 166: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 43.




Figure 167: Differences of each of the variable temperatures to between sequential time steps for Test 43.




Figure 168: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 43.

A.44 Test 44 – Aborted due to electrical contact failure

A.45 Test 45




Figure 169: Measured temperatures of the thermocouples and plate thermometers for Test 44.




Figure 170: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 44.




Figure 171: Differences of each of the variable temperatures to between sequential time steps for Test 44.




Figure 172: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 44.

A.46 Test 46 – Aborted due to electrical contact failure

A.47 Test 47




Figure 173: Measured temperatures of the thermocouples and plate thermometers for Test 45.




Figure 174: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 45.




Figure 175: Differences of each of the variable temperatures to between sequential time steps for Test 45.




Figure 176: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 45.

A.48 Test 48




Figure 177: Measured temperatures of the thermocouples and plate thermometers for Test 46.




Figure 178: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 46.




Figure 179: Differences of each of the variable temperatures to between sequential time steps for Test 46.




Figure 180: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 46.

A.49 Test 49




Figure 181: Measured temperatures of the thermocouples and plate thermometers for Test 47.




Figure 182: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 47.




Figure 183: Differences of each of the variable temperatures to between sequential time steps for Test 47.




Figure 184: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 47.

A.50 Test 50




Figure 185: Measured temperatures of the thermocouples and plate thermometers for Test 50.




Figure 186: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 50.




Figure 187: Differences of each of the variable temperatures to between sequential time steps for Test 50.




Figure 188: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 50.

A.51 Test 51




Figure 189: Measured temperatures of the thermocouples and plate thermometers for Test 51.




Figure 190: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 51.




Figure 191: Differences of each of the variable temperatures to between sequential time steps for Test 51.




Figure 192: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 51.

A.52 Test 52




Figure 193: Measured temperatures of the thermocouples and plate thermometers for Test 52.




Figure 194: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 52.




Figure 195: Differences of each of the variable temperatures to between sequential time steps for Test 52.




Figure 196: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 52.

A.53 Test 53




Figure 197: Measured temperatures of the thermocouples and plate thermometers for Test 53.




Figure 198: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 53.




Figure 199: Differences of each of the variable temperatures to between sequential time steps for Test 53.




Figure 200: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 53.

A.54 Test 54




Figure 201: Measured temperatures of the thermocouples and plate thermometers for Test 54.




Figure 202: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 54.




Figure 203: Differences of each of the variable temperatures to between sequential time steps for Test 54.




Figure 204: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 54.

A.55 Test 55




Figure 205: Measured temperatures of the thermocouples and plate thermometers for Test 55.




Figure 206: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 55.




Figure 207: Differences of each of the variable temperatures to between sequential time steps for Test 55.




Figure 208: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 55.

A.56 Test 56




Figure 209: Measured temperatures of the thermocouples and plate thermometers for Test 56.




Figure 210: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 56.




Figure 211: Differences of each of the variable temperatures to between sequential time steps for Test 56.




Figure 212: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 56.

A.57 Test 57




Figure 213: Measured temperatures of the thermocouples and plate thermometers for Test 57.




Figure 214: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 57.




Figure 215: Differences of each of the variable temperatures to between sequential time steps for Test 57.




Figure 216: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 57.

A.58 Test 58




Figure 217: Measured temperatures of the thermocouples and plate thermometers for Test 58.




Figure 218: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 58.




Figure 219: Differences of each of the variable temperatures to between sequential time steps for Test 58.




Figure 220: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 58.

A.59 Test 59




Figure 221: Measured temperatures of the thermocouples and plate thermometers for Test 59.




Figure 222: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 59.




Figure 223: Differences of each of the variable temperatures to between sequential time steps for Test 59.




Figure 224: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 59.

A.60 Test 60




Figure 225: Measured temperatures of the thermocouples and plate thermometers for Test 60.




Figure 226: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 60.




Figure 227: Differences of each of the variable temperatures to between sequential time steps for Test 60.




Figure 228: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 60.

A.61 Test 61




Figure 229: Measured temperatures of the thermocouples and plate thermometers for Test 61.




Figure 230: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 61.




Figure 231: Differences of each of the variable temperatures to between sequential time steps for Test 61.




Figure 232: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 61.

A.62 Test 62




Figure 233: Measured temperatures of the thermocouples and plate thermometers for Test 62.




Figure 234: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 62.




Figure 235: Differences of each of the variable temperatures to between sequential time steps for Test 62.




Figure 236: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 62.

A.63 Test 63




Figure 237: Measured temperatures of the thermocouples and plate thermometers for Test 63.




Figure 238: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 63.




Figure 239: Differences of each of the variable temperatures to between sequential time steps for Test 63.




Figure 240: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 63.

A.64 Test 64




Figure 241: Measured temperatures of the thermocouples and plate thermometers for Test 64.




Figure 242: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 64.




Figure 243: Differences of each of the variable temperatures to between sequential time steps for Test 64.




Figure 244: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 64.

A.65 Test 65




Figure 245: Measured temperatures of the thermocouples and plate thermometers for Test 65.




Figure 246: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 65.




Figure 247: Differences of each of the variable temperatures to between sequential time steps for Test 65.




Figure 248: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 65.

A.66 Test 66




Figure 249: Measured temperatures of the thermocouples and plate thermometers for Test 66.




Figure 250: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 66.




Figure 251: Differences of each of the variable temperatures to between sequential time steps for Test 66.




Figure 252: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 66.

A.67 Test 67




Figure 253: Measured temperatures of the thermocouples and plate thermometers for Test 67.




Figure 254: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 67.




Figure 255: Differences of each of the variable temperatures to between sequential time steps for Test 67.




Figure 256: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 67.

A.68 Test 68




Figure 257: Measured temperatures of the thermocouples and plate thermometers for Test 68.




Figure 258: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 68.




Figure 259: Differences of each of the variable temperatures to between sequential time steps for Test 68.




Figure 260: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 68.

A.69 Test 69




Figure 261: Measured temperatures of the thermocouples and plate thermometers for Test 69.




Figure 262: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 69.




Figure 263: Differences of each of the variable temperatures to between sequential time steps for Test 69.




Figure 264: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 69.

A.70 Test 70




Figure 265: Measured temperatures of the thermocouples and plate thermometers for Test 70.




Figure 266: Estimates of the incident radiation for the plate thermometers located 50 mm and 350 mm above the surface of the range for Test 70.




Figure 267: Differences of each of the variable temperatures to between sequential time steps for Test 70.




Figure 268: Ratios of each of the variable temperatures to the temperatures at the time of ignition for Test 70.